

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

88/2021/18/R/L / الاحالة

نرفق لكم جدول بالمادة التي تم احالتها على شركة Streifender ortho.production GmbH

N O.	National Code	Kimadia Description	Unit	Streifender Code	Streifender Discription	Qty	Unit Price USD	Total price USD
1	ALL-RE00-407	Woven carbon fiber glass stockinette for fabricating laminates, width 120mm, weight 1 kg.	Kg	95P9/120	Carbon Fibre Stockinette, 120 mm	154	2,400	369,600
2	ALL-RE00-408	Woven carbon fiber glass stockinette for fabricating laminates, width 80mm, weight 1 kg.	Kg	95P9/80	Carbon Fibre Stockinette, 80 mm	143	950	135,850
3	ALL-RE00-410	Perlon elastic stockinette for fabricating laminates, white,width 10cm, weight 1 kg	Kg	95P19/10	Elastic Stockinette, white, 100 mm	666	63	41,958
4	ALL-RE00-411	Perlon elastic stockinette for fabrication laminates, white,width 12 cm, weight 1 kg	Kg	95P19/12	Elastic Stockinette, white, 120 mm	1,161	63	73,143
5	ALL-RE00-412	Perlon elastic stockinette for fabricating laminates, white,width 15 cm, weight 1 kg	Kg	95P19/15	Elastic Stockinette, white, 150 mm	659	63	41,517
6	ALL-RE00-414	Perlon stockinette for fabricating laminates, white,width 10 cm, weight 1 kg	Kg	95P6/10	Perlon stockinette for fabricating laminates, white,width 10 cm, weight 1 kg	446	67	29,882
7	ALL-RE00-415	Perlon stockinette for fabricating laminates, white,width 12 cm, weight 1 kg	Kg	95P6/12	Perlon stockinette for fabricating laminates, white,width 12 cm, weight 1 kg	471	67	31,557
8	ALL-RE00-416	Perlon stockinette for fabricating laminates, white,width 15 cm, weight 1 kg	Kg	95P6/15	Perlon stockinette for fabricating laminates, white,width 15 cm, weight 1 kg	467	67	31,289
9	ALL-RE00-417	Perlon stockinette for fabricating laminates, white,width 25 cm, weight 1 kg	Kg	95P6/25	Perlon stockinette for fabricating laminates, white,width 25 cm, weight 1 kg	171	67	11,457
10	ALL-RE00-419	Nylglass stockinette for fabricating laminates, white,width 10 cm, weight 1 kg	Kg	95P17/10	Polyglass-Stockinette, white, 100 mm	177	63	11,151
11	ALL-RE00-420	Nylglass stockinette for fabricating	Kg	95p17/12	Nylglass stockinette for	207	63	13,04

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

		laminates, white,width 12 cm, weight 1 kg			fabricating laminates, white,width 12 cm, weight 1 kg			1
12	ALL-RE00-421	Nylglass stockinette for fabricating laminates, white,width 15 cm, weight 1 kg	Kg	95P17/15	Nylglass stockinette for fabricating laminates, white,width 15 cm, weight 1 kg	222	63	13,986
13	ALL-RE00-423	woven Fibreglass stockinette for fabricating laminates, white,width 10 cm, weight 1 kg.	Kg	95P23/100	Woven Fibreglass Stockinette, 100 mm	145	77	11,165
14	ALL-RE00-428	Carbon fiber cloth for laminate reinforcements, width 1-1.5 meter, length 1 meter.	pcs	95P35	Carbon Fibre Matting, 1000 mm	261	88	22,968
15	ALL-RE00-430	Dacron Felt,for smooth inner surface after laminating socket , width 90 - 100 cm, length 30 meter.	roll	140P41	Dacron felt, 190 g/qm, 930 x 3 mm	91	570	51,870
16	ALL-RE00-431	Thermoflex, flexible polyethylene, transparent,temperature recommendation (70-125 °C), thickness 2 mm, length 1 meter, width 50cm. (used as parting material and as a device for filling material).	PC S	111P29/2	Streifylast/Trolen, 2000x1000x2 mm, white	89	14	1,246
17	ALL-RE00-434	Loctite,for securing screws, medium strength, Contents 50 ml.	PC S	118P37	Loctite 245, 50 ml	460	77	35,420
18	ALL-RE00-445	Polyethylene adhesive tape, for sealing damaged PVA sheet,width 25mm, length 50 meter.	Roll	119P20	Polyethylen Adhesive Tape, 25 mm	306	23	7,038
19	ALL-RE00-452	Wooden spatula, with millimeter(mm) markings,length 25-30 cm,width15-20 mm.	Pcs	164P9	Wooden Spatula, 255x16x3,5 mm, 100 pcs	8367	Pcs =7	58,569
20	ALL-RE00-461	Double face adhesive tape, width 9 mm, length 50 meter.	roll	119P13/6	Double Sided PVC Adhesive Tape, 6 mm	321	33	10,593
21	ALL-RE00-464	Crepe Adhesive (masking) tape,width 30 mm, length 50 meter.	Pcs	119P6	Masking Tape, 25 mm	137	7	959
22	ALL-RE00-467	Thermoplastic sheet, for fabricating test socket, rigid, transparent, thickness 12mm, length 400 mm, width 400 mm.	Sheet	111P68/12	PET 400x400x12 mm, clear	250	65	16,250
23	ALL-RE00-468	Thermoplastic sheet, for fabricating inner flexible prosthetic socket, flexible, transparent, thickness 12mm, length 400 mm, width 400 mm.	Sheet	111P62/12	Streifyflex, 400x400x12 mm, translucent	250	67	16,750
24	ALL-RE18-473	Two componant silicone material , medical grade silicone, used for taking patient impression, copying, modelling and making trail prosthesis.	Sheet	81E2/2	Pastosil, component A and B	50	570	28,500

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

25	ALL-RE00-474	S.A.C.H. Foot for children, heel height 5-10 mm, with toes, colour beige, max. body weight 30-50 Kg. thread M6-8,size 14cm, right.	Pcs	30A26/1 4R	S.A.C.H. Foot for childre,size 14 cm, right	25	110	2,750
26	ALL-RE00-475	S.A.C.H. Foot for children, heel height 5-10 mm,with toes, colour beige,max. body weight 30-50 Kg.thread M6-8,size 14 cm , left.	Pcs	30A26/1 4L	S.A.C.H. Foot for childre,size 14 cm, Left	25	110	2,750
27	ALL-RE00-476	S.A.C.H. Foot for children, heel height 5-10 mm,with toes, colour beige,max. body weight 30-50 Kg.thread M6-8,size 16 cm, right	Pcs	30A26/1 6R	S.A.C.H. Foot for childre,size 16 cm, right	26	110	2,860
28	ALL-RE00-477	S.A.C.H. Foot for children, heel height 5-10 mm,with toes, colour beige,max. body weight 30-50 Kg.thread M6-8,size 16 cm, left	Pcs	30A26/1 6L	S.A.C.H. Foot for childre,size 16 cm, Left	24	110	2,640
29	ALL-RE00-478	S.A.C.H. Foot for children, heel height 5-10 mm,with toes, colour beige,max. body weight 30-50 Kg.thread M6-8,size 18 cm, right	Pcs	30A26/1 8R	S.A.C.H. Foot for children,size 18 , right	36	110	3,960
30	ALL-RE00-479	S.A.C.H. Foot for children, heel height 5-10 mm,with toes, colour beige,max. body weight 30-50 Kg.thread M6-8,size 18 cm, left	Pcs	30A26/1 8L	S.A.C.H. Foot for children,size 18 , left	36	110	3,960
31	ALL-RE00-480	S.A.C.H. Foot for children, heel height 5-10 mm,with toes, colour beige,max. body weight 30-50 Kg.thread M6-8,size 21 cm, right.	Pcs	30A26/2 0R	S.A.C.H. Foot for children,size 20, right	36	110	3,960
32	ALL-RE00-481	S.A.C.H. Foot for children, heel height 5-10 mm,with toes, colour beige,max. body weight 30-50 Kg.thread M6-8,size 21 cm, left.	Pcs	30A26/2 0L	S.A.C.H. Foot for children,size 20, left	36	110	3,960
33	ALL-RE00-502	Dynamic foot for men , heel height10-20mm, with toes, colour beige, max.body weight 100-150 Kg, thread M8-10, with dynamic properties, size 23cm. Left.	Pcs	30A27/2 3L	Dynamic foot with split toe, size 23 cm,left	105	245	25,725
34	ALL-RE00-503	Dynamic foot for men , heel height10-20mm, with toes, colour beige, max.body weight 100-150 Kg, thread M8-10, with dynamic properties, size 23cm. Right.	Pcs	30A27/2 3R	Dynamic foot with split toe, size 23 cm, right	105	245	25,725
35	ALL-RE00-504	Dynamic foot for men , heel height10-20mm, with toes, colour beige, max.body weight 100-150 Kg,	Pcs	30A27/2 4L	Dynamic foot with split toe, size 24 cm, left	109	245	26,705

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

		thread M8-10, with dynamic properties, size 24cm. Left.						
36	ALL-RE00-505	Dynamic foot for men, heel height10-20mm, with toes, colour beige, max.body weight 100-150 Kg, thread M8-10, with dynamic properties, size 24cm. right.	Pcs	30A27/2 4R	Dynamic foot with split toe, size 24 cm, right	109	245	26,70 5
37	ALL-RE00-506	Dynamic foot for men , heel height10-20mm, with toes, colour beige, max.body weight 100-150 Kg, thread M8-10, with dynamic properties, size 25cm. Left.	Pcs	30A27/2 5L	Dynamic foot with split toe, size 25 cm, left	252	245	61,74 0
38	ALL-RE00-507	Dynamic foot for men, heel height10-20mm, with toes, colour beige, max.body weight 100-150 Kg, thread M8-10, with dynamic properties, size 25cm, right.	Pcs	30A27/2 5R	Dynamic foot for men, heel height10-20mm, with toes, colour beige, max.body weight 100-150 Kg, thread M8-10, with dynamic properties, size 25cm, right.	256	245	62,72 0
39	ALL-RE00-532	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double hols for the adapter, max.weight 75-150 Kg.Size 25 cm, left.	Pcs	30A14/2 5L	Single axis foot for men,size 25, left	272	89	24,20 8
40	ALL-RE00-533	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double hols for the adapter, max.weight 75-150 Kg.Size 25 cm, right.	Pcs	30A14/2 5R	Single axis foot for men,size 25, right	280	89	24,92 0
41	ALL-RE00-534	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double hols for the adapter, max.weight 75-150 Kg.Size 26 cm, left.	Pcs	30A14/2 6L	Single axis foot for men,size 26, left	635	89	3,960
42	ALL-RE00-535	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double hols for the adapter, max.weight 75-150 Kg.Size 26 cm, right.	Pcs	30A14/2 6R	Single axis foot for men,size 26, right	541	89	3,960
43	ALL-RE00-536	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double hols for the adapter, max.weight 75-150 Kg.Size 28 cm, left.	Pcs	30A14/2 8L	Single axis foot for men,size 28, left	133	89	25,72 5
44	ALL-RE00-537	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double holes for the adapter, max.weight 75-150 Kg.Size 28 cm, right. Single axis foot 1H38=28R	Pcs	30A14/2 8R	Single axis foot for men,size 28, right	133	89	25,72 5
45	ALL-RE00-538	Single axis foot for men, with toes, colour beige, heel height 10-20 mm,	Pcs	30A14/2 7L	Single axis foot for men,size 27, left	383	89	26,70 5

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

		with double holes for the adapter, max.weight 75-150 Kg.Size 27 cm, left. Single axis foot 1H38=27L						
46	ALL-RE00-539	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double hoels for the adapter, max.weight 75-150 Kg.Size 27 cm, right. Single axis foot 1H38=27R	Pcs	30A14/2 7R	Single axis foot for men,size 27, right	390	89	26,70 5
47	ALL-RE00-540	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double holes for the adapter, max.weight 75-150 Kg.Size 24 cm, left. Single axis foot 1H38=24L	Pcs	30A14/2 4L	Single axis foot for men,size 24, left	130	89	61,74 0
48	ALL-RE00-541	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double holes for the adapter, max.weight 75-150 Kg.Size 24 cm, right. Single axis foot 1H38=24R	Pcs	30A14/2 4R	Single axis foot for men,size 24, right	136	89	62,72 0
49	ALL-RE00-542	Single axis foot for men, with toes, colour beige, heel height 10-20 mm, with double holes for the adapter, max.weight 75-150 Kg.Size 23 cm, left.	Pcs	30A14/2 3L	Single axis foot for men,size 23, left	77	89	6,853
50	ALL-RE00-543	Single axis foot, with toes, colour beige, heel height 10-20 mm, with double holes for the adapter, max.weight 75-150 Kg.Size 23 cm, right. Single axis foot 1H38=23R	Pcs	30A14/2 3R	Single axis foot for men,size 23, right	80	89	7,120
51	ALL-RE00-544	Single axis foot for women, with toes, colour beige, heel height 15-25mm,with double holes for the adapter, max.weight 75-150 Kg.Size 23cm, left.	Pcs	30A15/2 3L	Single axis foot for men,size 23, left	152	89	13,52 8
52	ALL-RE00-545	Single axis foot for women, with toes, colour beige, heel height 15-25mm,with double holes for the adapter, max.weight 75-150 Kg.Size 23cm, right.	Pcs	30A15/2 3R	Single axis foot for men,size 23, right	147	89	13,08 3
53	ALL-RE00-546	Single axis foot for women, with toes, colour beige, heel height 15-25mm,with double holes for the adapter, max.weight 75-150 Kg.Size 24cm, left.	Pcs	30A15/2 4L	Single axis foot for men,size 24, left	172	89	15,30 8
54	ALL-RE00-547	Single axis foot for women, with toes, colour beige, heel height 15-25mm,with double holes for the adapter, max.weight 75-150 Kg.Size 24cm, right.	Pcs	30A15/2 4R	Single axis foot for men,size 24, right	157	89	13,97 3

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

55	ALL-RE00-548	Single axis foot for women, with toes, colour beige, heel height 15-25mm, with double hols for the adapter, max. weight 75-150 Kg. Size 25cm, left.	Pcs	30A15/2 5L	Single axis foot for men, size 25, left	165	89	14,68 5
56	ALL-RE18-549	Single axis foot for women, with toes, colour beige, heel height 15-25mm, with double hols for the adapter, max. weight 75-150 Kg. Size 25cm, right.	Pcs	30A15/2 5R	Single axis foot for men, size 25, right	174	89	15,48 6
57	ALL-RE00-550	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg. size 23cm, left.	Pcs	30A18/2 3L	Pirogoff –Foot, size 23, left .	75	130	9,750
58	ALL-RE00-551	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg. size 23cm, right.	Pcs	30A18/2 3R	Pirogoff –Foot, size 23, right .	75	130	9,750
59	ALL-RE00-552	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg. size 24cm, left.	Pcs	30A18/2 4L	Pirogoff –Foot, size 24, left .	111	130	14,43 0
60	ALL-RE00-553	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg. size 24 cm, right.	Pcs	30A18/2 4R	Pirogoff –Foot, size 24, right.	116	130	15,08 0
61	ALL-RE00-554	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg. size 25cm, left.	Pcs	30A18/2 5L	Pirogoff –Foot, size 25, left .	130	130	16,90 0
62	ALL-RE00-555	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg. size 25 cm, right.	Pcs	30A18/2 5R	Pirogoff –Foot, size 25, right.	130	130	16,90 0
63	ALL-RE00-556	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg. size 26cm, left.	Pcs	30A18/2 6L	Pirogoff –Foot, size 26, left.	141	130	18,33 0
64	ALL-RE00-557	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg. size 26cm, right.	Pcs	30A18/2 6R	Pirogoff –Foot, size 26, right.	141	130	18,33 0
65	ALL-RE00-558	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg size 27cm, left..	Pcs	30A18/2 7L	Pirogoff –Foot, size 27, left.	131	130	17,03 0
66	ALL-RE00-559	Pirogoff foot, with toes, colour beige, heel height 10-15 mm, Max. body weight 75-125 Kg. size 27cm, right.	Pcs	30A18/2 7R	Pirogoff –Foot, size 27, right.	136	130	17,68 0
67	ALL-RE00-560	S.A.C.H. Foot with toes for women, heel height 20-35 mm, colour	Pcs	30A4/23 L	SACH Foot for women, size 23, left.	131	95	12,44 5

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

		beige,Max. body weight 100-150 kg, thread M 8-10, size23 , left.						
68	ALL-RE00-561	S.A.C.H. Foot with toes for women,heel height 20-35 mme, colour beige,Max. body weight 100-150 kg, thread M 8-10, size23 , right.	Pcs	30A4/23 R	SACH Foot for women, size 23, right.	137	95	13,015
69	ALL-RE00-562	S.A.C.H. Foot with toes for women,heel height 20-35 mm, colour beige,Max. body weight 100-150 kg, thread M 8-10, size24 , left.	Pcs	30A4/24 L	SACH Foot for women, size 24, left.	176	95	16,720
70	ALL-RE00-563	S.A.C.H. Foot with toes for women,heel height20-35 mm, colour beige,Max. body weight 100-150 kg, thread M 8-10, size24 , right.	Pcs	30A4/24 R	SACH Foot for women, size 24, right.	161	95	15,295
71	ALL-RE00-564	S.A.C.H. Foot with toes for women,heel height 20-35 mm, colour beige,Max. body weight 100-150 kg, thread M 8-10, size25 , left.	Pcs	30A4/25 L	SACH Foot for women, size 25, left.	166	95	15,770
72	ALL-RE18-565	S.A.C.H. Foot with toes for women, heel height 20-35 mm, colour beige,Max. body weight 100-150 kg, thread M 8-10, size25 , right.	pcs	30A4/25 R	SACH Foot for women, size 25, right.	176	95	16,720
73	ALL-RE00-615	S.A.C.H foot adaptor, Stainless Steel, M10 bolt.	Pcs	16A2/M 10	SACH foot adaptor M10 -Stainless Steel,	3,683	37	136,271
74	ALL-RE00-617	Single axis foot adaptor, Stainless steel, with rubber bumpers, and two screws, for feet sizes 22-25 cm.	Pcs	32A4/22-25	Single axis foot adaptor, Stainless	1594	60	95,640
75	ALL-RE00-618	Single axis foot adaptor, Titanium, with rubber bumpers, and two screws, for feet sizes 22-25 cm. <b>List 2</b>	Pcs	32A3/22-25	Single axis foot adaptor – Titanium-	733	185	135,605
76	ALL-RE00-619	Single axis foot adaptor, Stainless steel, with rubber bumpers, and two screws, for feet sizes 26-30 cm.	Pcs	32A4/26-30	Single axis foot adaptor,stainless steel	2,488	63	156,744
77	ALL-RE00-620	Single axis foot adaptor, Titanium, with rubber bumpers, and two screws, for feet sizes 26-30 cm.	Pcs	32A3/26-30	Single axis foot adaptor – Titanium-	571	185	105,635
78	ALL-RE00-621	S.A.C,H foot adaptor, Aluminum,M8 bolt.	Pcs	16A1/M 8	SACH foot adaptor M8 - Aluminum-	1,091	68	74,188
79	ALL-RE00-624	Foot connection cap , plastic for S.A.C.H foot	Pcs	29A1	Foot connection cap , plastic for S.A.C.H foot	1,614	6	9,684
80	ALL-RE00-626	S.A.C.H foot adaptor, with M8 thread for children , aluminum and/ or steel	Pcs	160K1/ M8	S.A.C.H foot adaptor, with M8 thread for children , aluminum and/ or steel	336	67	22,512
81	ALL-RE00-629	Foot connection cap, plastic, for single axis foot ,different sizes according to feet sizes	Pcs	32A5/22	Foot connection cap, plastic, for single axis foot ,different sizes according to feet sizes	2,037	10	20,370

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

82	ALL-RE00-630	Tube adaptor, stainless steel , with one side 4 adjustment screws, Ø 30 mm length, 400-500 mm	Pcs	15A3/S400	Tube adaptor, stainless steel , with one side 4 adjustment screws, 30 mm length, 400-500 mm	2,130	63	134,190
83	ALL-RE18-631	Tube adaptor, Titanium with one side 4 adjustment screws, Ø 30 mm length, 400-500 mm List 2	Pcs	15A4/T445	Tube adaptor, Titanium with one side 4 adjustment screws, 30 mm length, 400-500 mm	941	79	74,339
84	ALL-RE00-632	Tube adaptor, stainless steel , with one side 4 adjustment screws, Ø 30 mm length, 200-300 mm	Pcs	15A3/S200	Tube adaptor, stainless steel , with one side 4 adjustment screws, 30 mm length, 200-300 mm	2,306	62	142,972
85	ALL-RE00-633	Tube adaptor, Titanium with one side 4 adjustment screws, Ø 30 mm length, 200-300 mm List 2	Pcs	15A4/T225	Tube adaptor, Titanium with one side 4 adjustment screws, 30 mm length, 200-300 mm	1,170	84	98,280
86	ALL-RE00-634	Tube adaptor, stainless steel , with one side 4 adjustment screws, Ø 34 mm length, 400-500 mm	Pcs	150A3/S400	Tube adaptor, stainless steel , with one side 4 adjustment screws, 34 mm length, 400-500 mm	495	100	49,500
87	ALL-RE18-635	Tube adaptor, stainless steel , with one side 4 adjustment screws, Ø 34 mm length , 200-300 mm	Pcs	150A3/S200	Tube adaptor, stainless steel , with one side 4 adjustment screws, 34 mm length , 200-300 mm	455	72	32,760
88	ALL-RE00-636	Tube clamp adaptor, stainless steel , one side 4 adjustment screws and one screw clamp in the other side , 30 mm	Pcs	11A11/S	Tube clamp adaptor, stainless steel , one side 4 adjustment screws and one screw clamp in the other side , 30 mm	5,447	53	288,691
89	ALL-RE00-637	Tube clamp adaptor, Titanium, one side 4 adjustment screws and one screw clamp in the other side , 30 mm	Pcs	11A11/T	Tube clamp adaptor, Titanium, one side 4 adjustment screws and one screw clamp in the other side , 30 mm	760	145	110,200
90	ALL-RE18-638	Tube clamp adaptor, stainless steel , one side 4 adjustment screws and one screw clamp in the other side , 34 mm	Pcs	11A125/S	Tube clamp adaptor, stainless steel , one side 4 adjustment screws and one screw clamp in the other side , 34 mm	801	57	45,657
91	ALL-RE00-639	Tube clamp sliding adaptor with 4 adjustment screws above , and one screw clamp below , Titanium , Ø 30 mm List 2	Pcs	10A42/T	Tube clamp sliding adaptor with 4 adjustment screws above , and one screw clamp below , Titanium , 30 mm	574	155	88,970
92	ALL-RE00-640	Double adaptor , with 4 adjustment screws above and below, effective	Pcs	10A50/S32	Double adaptor , with 4 adjustment screws above	926	145	134,270



REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

		length 32 mm			and below, effective length 32 mm			
93	ALL-RE00-642	Double adaptor , with 4 adjustment screws above and below, effective length 60 mm	Pcs	10A50/S 60	Double adaptor , with 4 adjustment screws above and below, effective length 60 mm	993	150	148,950
94	ALL-RE00-643	Double adaptor , with 4 adjustment screws above and below, effective length 75 mm	Pcs	10A50/S 75	Double adaptor , with 4 adjustment screws above and below, effective length 75 mm	976	150	146,400
95	ALL-RE00-645	Rotation adaptor , stainless steel or Titanium ,with pyramid adaptor above and 4 adjustment screws below to allow leg rotation medially or laterally in relative to socket	Pcs	10A16/S	Rotation adaptor , stainless steel or Titanium ,with pyramid adaptor above and 4 adjustment screws below to allow leg rotation medially or laterally in relative to socket	793	365	289,445
96	ALL-RE00-650	Rotatable socket adapter, with 3-4 long laminations anchors, and pyramid receiver ( four adjustment screws), stainless steel, with lamination dummy.	Pcs	10A2/S	Socket Adapter rotaable - Stainless Steel-	960	80	76,800
97	ALL-RE00-651	Socket adaptor with pyramid, stainless steel, and base with four holes.	Pcs	10A90/S	Socket Adapter with adjustment core- Stainless Steel-	791	75	59,325
98	ALL-RE00-652	Rotatable socket adapter, with pyramid receiver (four adjustment screws), and base with four holes, stainless steel.	Pcs	10A95/S	Socket Adapter with rotation adjustment - Steel-	400	77	30,800
99	ALL-RE00-653	Rotatable socket adapter, with pyramid receiver (four adjustment screws), and base with four holes, Titanium. <b>List 3</b>	Pcs	10A95/T	Socket Adapter with rotation adjustment, waterproof,- Titanium-	147	95	13,965
100	ALL-RE00-654	Socket attachment wood block, with four screws holes, block Ø approx. 120 mm, system height 30-35 mm. with lamination dummy.	Pcs	12A7	Socket Attachment wood Block, with poplar wood	485	50	24,250
101	ALL-RE00-655	Double sliding adapter, Titanium, with 4 adjustment screws above and below, effective length approx. 60 mm <b>List 3</b>	Pcs	10A43/T 60	Slide Adapter- Titanium- , 60 mm	292	244	71,248
102	ALL-RE00-656	Tube adapter for children, aluminium, with one side 4 adjustment screws, diameter 22 mm, length 250- 350 mm.	Pcs	15K2/A3 00	Tube Adapter – Aluminum-	368	66	24,288
103	ALL-RE00-658	Tube clamp adapter for children, aluminium, with one side pyramid and one screw clamp other side, Ø 22 mm.	Pcs	110K15/ A	Adapter –Aluminum-	311	63	19,593

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

104	ALL-RE00-659	Socket adaptor, with 3-4 long laminations anchors, and rotatable pyramid, stainless steel. With lamination dummy.	Pcs	10A1/S	Socket adaptor, rotatable -Stainless Steel	1,663	125	207,875
105	ALL-RE00-662	Socket adapter with pyramid receiver (4 adjustment screws), and 4 holes, stainless steel.	Pcs	10A92/S	Socket Adaptor - Stainless Steel	411	40	16,440
106	ALL-RE00-664	Socket adapter for children, with 3 or more anchors, and rotatable pyramid receiver (4 adjustment screws), aluminium, with Lamination dummy.	Pcs	100K4/A	Socket Adaptor Aluminium-	748	60	44,880
107	ALL-RE18-665	Tube clamp adapter for children, aluminium, with one side pyramid receiver (4 adjustment screws) and one screw clamp other side, Ø 22 mm.	Pcs	110K11/A	Tube Clamp Adapter - Aluminium-	409	38	15,542
108	ALL-RE18-666	Socket adapter for children, with 3 or more anchors, and pyramid, aluminium, and Lamination dummy	Pcs	100K3/A	Socket Adapter - Aluminium-	562	58	32,596
109	ALL-RE00-667	Socket attachment block for children, plastic or wood, with 4 screws holes, with lamination dummy.	Pcs	120K7	Socket Attachment Block -Plastic-	180	38	6,840
110	ALL-RE00-668	Socket adapter with pyramid receiver (4 adjustment screws) for children, and base with 4 holes, Aluminium.	Pcs	100K92/A	Socket Adaptor Aluminium-	254	57	14,478
111	ALL-RE00-670	Double adaptor, titanium or aluminium with pyramid above and four adjustment screws below.	Pcs	11A14/T	Double Adaptor with adjustment core – Titanium-	243	115	27,945
112	ALL-RE00-673	Double adaptor, stainless steel or aluminium, with pyramid above and below, effective height (10-20 mm).	pcs	10A60/A41	Double Adaptor with adjustment core on both sides-Aluminium-	293	108	31,644
113	ALL-RE00-685	Monocentric knee joint with manual lock and extension assist, pyramid above and below, stainless steel, with lock cable.	Pcs	3A17	Modular Single Axis Knee Joint – Stainless Steel-	117	680	79,560
114	ALL-RE00-687	Monocentric knee joint with manual lock and extension assist, pyramid above and below, Titanium, with lock cable. <b>List3</b>	Pcs	3A33	Modular Single Axis Knee Joint – Titanium-	61	680	41,480
115	ALL-RE18-688	Spare parts for the above knee joint, in item(L267). <b>List 3</b>	Pcs	3A17/E	Service Parts Set for 3A17 and 3A33	28	65	1,820
116	ALL-RE00-693	Polycentric knee joint with integrated extension assist, stainless steel. with pyramid above and below.	Pcs	3A20	Modular 4-Bar Linkage Knee Joint - Stainless Steel-	372	320	119,040
117	ALL-RE18-694	Spare parts for the above knee joint, in item (L270).	Pcs	3A20/E	Service Parts Set for 3A20 and 3A36	67	70	4,690
118	ALL-RE00-695	Polycentric knee joint with adjustable extension assist, Titanium. with pyramid above and below. <b>List 3</b>	Pcs	3A36	Modular 4-Bar Linkage Knee Joint - Titanium .	114	950	108,300

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

119	ALL-RE00-697	Monocentric knee joint with manual lock , pyramid above and distal connection tube clamp Ø 30 mm, stainless steel and/ or aluminium, with lock cable.	Pcs	3A40	Modular Light Weight Knee Joint	154	340	52,360
120	ALL-RE18-698	Spare parts for the above knee joint, in item (L278)	Pcs	3A40/E4	Service Parts Set for knee joint 3A40	32	72	2,304
121	ALL-RE00-699	Polycentric knee joint, with hydraulic swing phase control. With pyramid above and below. <b>List 2</b>	Pcs	3A2500	KINEGEN. Stream Polycentric Knee joint	171	2,650	453,150
122	ALL-RE00-700	Monocentric knee joint, for children, with adjustable extension assist for swing phase, pyramid above and tube clamp Ø 22 mm below.	Pcs	3K31	Modular Knee joint	41	720	29,520
123	ALL-RE00-702	Monocentric knee joint for children with lock, pyramid adapter above and tube clamp Ø 22 mm below.	Pcs	3K41	Modular Knee joint with lock	75	760	57,000
124	ALL-RE00-718	Cosmetic PUR soft foam cover, for transtibial and knee disarticulation levels, length 50-60 cm, for tube Ø 30-34 mm, not preshaped, colour beige.	Pcs	60A7	Cosmetic Soft foam Cover	5,517	34	187,578
125	ALL-RE00-719	Cosmetic PUR soft foam cover, for transfemoral prosthesis, preshaped, calf circumference 36-40 cm, colour beige, length 90-100 cm. left.	Pcs	62A52/40L	Cosmetic Soft foam Cover, left	1,779	127	225,933
126	ALL-RE00-720	Cosmetic PUR soft foam cover, for transfemoral prosthesis, preshaped, calf circumference 36-40 cm, colour beige, length 90-100 cm. Right.	Pcs	62A52/40R	Cosmetic Soft foam Cover, right	1,654	127	210,058
127	ALL-RE00-721	Cosmetic foam cover, for transtibial levels, length 50-60 cm, for tube Ø 30-34 mm, preshaped, colour beige.	Pcs	60A8	Cosmetic Soft foam cover for BK-prostheses, 30 mm	1,241	30	37,230
128	ALL-RE00-722	Cosmetic foam cover, for transfemoral prosthesis, preshaped, calf circumference 44-46 cm, colour beige, length 90-100 cm. left.	Pcs	60A147/44L	Cosmetic Soft foam cover, left	1,153	130	149,890
129	ALL-RE00-723	Cosmetic foam cover, for transfemoral prosthesis, preshaped, calf circumference 36-40 cm, colour beige, length 90-100 cm. right.	Pcs	60A147/36R	Cosmetic Soft foam cover, right	935	130	121,550
130	ALL-RE18-724	Cosmetic foam cover, for hip disarticulation, length approx. 110 cm. preshaped, beige.	Pcs	60A52/44R 60A52/44L	Cosmetic foam cover, for hip disarticulation, length approx. 110 cm. preshaped, beige.	263	130	34,190

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية



No.

Date: / /2024

مناخنا حياة

13 1	ALL-RE00-725	Cosmetic foam cover, for children, for transforal and hip disarticulation, length 70-85 cm, preshaped, colour beige.	Pcs	600K32/ L	Cosmetic foam cover, for children, for transforal and hip disarticulation, length 70-85 cm, preshaped, colour beige.	403	110	88,66 0
13 2	ALL-RE00-726			600K32/ R		403		25,72 8
13 3	ALL-RE00-727	Cosmetic foam cover, for children, for transtibial prosthesis, length 35-50 cm, preshaped, colour beige.	Pcs	600K7	Cosmetic Soft foam cover	536	48	42,46 2
13 4	ALL-RE00-728	Cosmetic stocking, for transtibial prosthesis, perlon, length 40-46cm, colour beige.	pair	20A19/2	Nylon Stockings, size 2, peach	3,316	7	23,21 2
13 5	ALL-RE00-729	Cosmetic stocking, for transfemoral prosthesis, perlon, length 55-70 cm, colour beige.	Pair	20A17/1	Nylon Cosmetic Stocking, size 1, peach	4,040	7	28,28 0
13 6	ALL-RE00-730	Cosmetic stocking, for transfemoral prosthesis, perlon, length 72-84 cm, colour beige.	Pair	20A17/4	Nylon Cosmetic Stocking, size 4, peach	4,404	7	30,82 8
13 7	ALL-RE00-732	Cosmetic stocking, for children, for knee disarticulation, transfemoral, and through hip disarticulation, perlon, colour beige, length 34-37 cm.	Pair	200K15/ 1	Nylon Cosmetic Stocking, size 1	608	7	4,256
13 8	ALL-RE00-733	Cosmetic stocking, for children, for knee disarticulation, transfemoral, and through hip disarticulation, perlon, colour beige, length 40-44 cm.	Pair	200K15/ 3	Nylon Cosmetic Stocking, size 3	553	7	3,871
13 9	ALL-RE00-741	Terry cloth stump sock for transtibial stump, length 20 - 40cm.	Pcs	25A11/2 0W	Terrycloth BK-Stump Sock, 20 cm, white	6,470	9	58,23 0
14 0	ALL-RE00-742	Terry cloth stump sock for transtibial stump, length 45 - 60 cm	pcs	25A11/4 5W	Terrycloth BK-Stump Sock, 45 cm, white	4,974	9	44,76 6
14 1	ALL-RE00-760	Socks for liner with ring, transtibial, length (30-35cm).	Pcs	25A11/3 5W	Socks for liner with ring, transtibial, length (30-35cm).	280	7	1,960
14 2	ALL-RE00-762	socks for liner with ring, transfemoral, length (30-35 cm).	Pcs	25A15/3 5	Terrycloth AK-Stump Sock, 35 cm, white	271	14	3,794
14 3	ALL-RE00-763	Socks for liner with ring, transfemoral, length (40-45 cm).	Pcs	25A15/4 5	Terrycloth AK-Stump Sock, 45 cm, white	321	11	3,531
14 4	ALL-RE00-773	Body and residual limb protective stockinette for transfemoral amputees, used to protect body while casting, 100% cotton, length 16 cm, width 30 cm.	Pcs	99P10/1	Protection Stockinette Set, size Skin 1	1131	Pcs =10 0	113,1 00

REPUBLIC OF IRAQ  
MINISTRY OF HEALTH  
THE STATE CO. FOR  
MARKETING DRUGS  
AND MEDICAL  
APPLIANCES  
(KIMADIA)

No.

Date: / /2024



جمهورية العراق  
وزارة الصحة  
الشركة العامة لتسويق الأدوية  
والمستلزمات الطبية (كيماديا)  
قسم استيراد المستلزمات الطبية

مناخنا حياة

14 5	ALL-RE00-774	Body and residual limb protective stockinette for transfemoral amputees ,used to protect body while casting, 100% cotton, length 32 cm, width 38 cm.	Pcs	99P10/4	Skin Protection Stockinette Set, size 4	1381	Pcs =10 0	138,0 00
14 6	ALL-RE18-778	Screw valve kit, for thermoforming flexible socket.	Pcs	6p20/T	Screw valve kit, for thermoforming flexible socket.	741	82	60,76 2

7,782,912

سبعة ملايين وسبعمائة واثنان وثمانون الف وتسعمائة واثنا عشر دولاراً فقط لاغير /CIP/واصل مخازن وزارة الصحة/كيماديا/ الدباش .