

المفاتحة المرقمة (SUP 93/ 2025/ 47R)

مستلزمات تخدير/ نبیذة أساسی

- شركة الجذوة للتوريدات الطبیة .

| SN. | KIMIADA CODE | KIMADIA | Product Name | Quantity | Price per unit \$ | Total Price \$ |
|-----|--------------|-------------------------|--|----------|-------------------|----------------|
| 1- | ANS-DE26-277 | Diaphragm pacing system | NeuRx Diaphragmatic Pacing System (DPS) , Diaphragmatic nerve laparoscopically – implanted stimulator SPECIFICATION Power Source : 1.5-volt lithium battery Battery Life : 140-170 hours Operating Temperature : +41 to +104 F (+5° to +40°) Storage Temperature : | 22 units | 82000 | 1,804.000 |



+20 to +140 F (-6° to +60°)

Relative Humidity : 10% to 85%

Pulse Waveform-type : Regulated-current

biphasic : 5mA to 25mA

Pulse Amplitude : 10 use to 200usec

Pulse Width : 20 msec to 250msec

Pulse Period : 0.8sec to 1.5sec

Inspiration Interval : 8 to 18 Breaths per Minute

Inspiration Rate : and up to 28 for pediatrics

The system is composed of the following:

1. Two external stimulators / pulse generator units with patient

cable and surface electrode connector holders.

2. full surgical kit containing the following:

- Four implantable electrodes.



| | | | | | | |
|------------------------------------|--|------------------------|---|---|--|--|
| | | | <ul style="list-style-type: none"> • One surface electrode. • Five implantation cables, disposable. • One return electrode patch. • One catheter for pneumatic pressure measurements. • Full kit for making skin surface connector | | | |
| Total Amount (CIP-BAGHDAD) | | | | One Million eight hundred four thousand Dollar | | |
| Total Amount | | USD 1, 804, 000 | | | | |